



## **Exploration Program Expanded for Lovitt Gold Mine**

**Vancouver, BC October 28, 2010** Lovitt Resources Inc. (TSXV: “LRC”, “the Company”) is pleased to announce that it has conducted further study in connection with a diamond drill program planned for the Lovitt Gold Mine. An area of interest, defined in Krig diagrams developed using historic data and underground diamond drilling by Asamera Minerals US Inc. (see LRC news release dated June 21, 2010), outlined a potential zone of interest in gold and silver between the 1150 production level and the 1250 level. Most of this zone is within 16 meters of existing mine workings, and therefore amenable to an underground drilling program. In order to conduct diamond drilling underground the company has an application currently in process with MSHA, the federal Mine Safety and Health Authority, to return the Lovitt Mine to active mine status. The company has engaged a mine safety officer and is actively looking for a qualified mining engineer to oversee operations at the Lovitt Gold Mine. The initial program will consist of about 2,000 meters of drilling using mine personnel and a bazooka drill, to be followed by a contracted diamond drill program in the New Year to test for gold below the known workings. Although considerable diamond drilling was conducted in the area around the Lovitt mine workings by Cyprus Anvil and Teck Corporation in the seventies and eighties, the mine is open to depth for exploration.

Our contemplated diamond drill program depends upon historic information which pre-dates NI 43-101 requirements, and such data cannot be relied upon to make investment decisions. The company is currently looking at various funding options to finance an exploration program substantially more ambitious than originally contemplated.

The Lovitt Mining Company, owned 100% by parent Lovitt Resources Inc., was the 6<sup>th</sup> largest gold mine in the USA when it suspended operations in 1967, after producing 420,000 oz of gold and 620,000 oz of silver over a seventeen year period with an average grade of 0.40 oz of gold per ton (or 13.7 gm Au/t). The directly adjoining Cannon Mine produced 1,200,000 oz of gold and over 1,900,000 oz of silver at an average grade of 0.30 oz Au/ton (or 10.3 gm Au/t) between 1984 and 1995. The Cannon Mine was in the top two of the largest underground gold mines in the USA during its mine life.

This news release was reviewed and approved by our Director James Proudfoot, P Eng., a qualified person under NI 43-101.

For more detailed information, please refer to the website of the Company at: <http://www.lovittresources.com> or eMail: [info@lovittresources.com](mailto:info@lovittresources.com) or call Lorne Brown the President of the Company at (509)668-8170.

**Neither the TSX Venture Exchange nor its regulation services provider (as that term is defined in the policies of the TSX Venture Exchange) accept responsibility for the adequacy or accuracy of the contents of this news release.**



**Neither the TSX Venture Exchange nor its regulation services provider (as that term is defined in the policies of the TSX Venture Exchange) accept responsibility for the adequacy or accuracy of the contents of this news release.**



**Neither the TSX Venture Exchange nor its regulation services provider (as that term is defined in the policies of the TSX Venture Exchange) accept responsibility for the adequacy or accuracy of the contents of this news release.**



**Neither the TSX Venture Exchange nor its regulation services provider (as that term is defined in the policies of the TSX Venture Exchange) accept responsibility for the adequacy or accuracy of the contents of this news release.**